

# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 59-078320

(43)Date of publication of application : 07.05.1984

(51)Int.Cl.

G02F 1/133  
G09F 9/00

(21)Application number : 57-189692

(71)Applicant : CANON INC

(22)Date of filing : 27.10.1982

(72)Inventor : OGURA MAKOTO



## (54) MANUFACTURE OF ELECTROOPTIC ELEMENT

### (57)Abstract:

**PURPOSE:** To obtain uniform cell thickness by injecting liquid material which causes an electrooptic change into the injection opening of a cell formed by sealing the circumferential part of a couple of electrode plates arranged at a specific interval, and then fixing sealing material to the injection opening while pressing the electrode plates.

**CONSTITUTION:** This press-contacting device consists of a stage 24 which has a heater 22 and buffer material 23 such as sponge on a support plate 21 made of metal such as stainless steel and aluminum and a pressing means 28 which has a heater 26 and buffer material 27 such as sponge on a pressure plate 25 made of metal such as stainless steel and aluminum. When the

injection opening of the liquid-crystal cell 20 is sealed, pressure P is applied to the pressing means 28 and then the sealing material 29 is fixed to the insertion opening. Then, the liquid-crystal cell 20 wherein an inner spacer 14 and liquid crystal 15 are sealed is formed in the space formed of the substrates 11 and 12 and sealing material 13.



## LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of

rejection]

[Kind of final disposal of application other than  
the examiner's decision of rejection or  
application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's  
decision of rejection]

[Date of requesting appeal against examiner's  
decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office